



Docket: 80040/US01

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Sumner et al.

Patent No.: 7,132,566

Issued: November 7, 2006

Serial No.: 10/667,744

Group Art Unit:

Filed: September 22, 2003

Examiner: Taylor Victor Oh

For: PROCESS FOR THE PURIFICATION OF A CRUDE CARBOXYLIC ACID SLURRY

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

A Certificate of Correction is requested for the above-identified patent wherein the corrections are entirely based on mistakes due to printing and are not mistakes by the patentees.

Attached in duplicate is Form PTO/SB/44. Please return one copy when the Certificate of Correction has been approved.

Respectfully submitted,

Steven A. Owen

Registration No. 50,355

11/14/2006

Date

Eastman Chemical Company

P.O. Box 511

Kingsport, Tennessee 37662

Phone: (423) 229-5534

FAX: (423) 229-1239

CERTIFICATE OF MAILING UNDER 37 CFR 1.8(a)

I hereby certify that this paper (along with any paper(s) referred to as being attached or enclosed) is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313.

Kristi L. Dunshee

11-15-06
Date

Certificate
NOV 22 2006
of Correction
NOV 22 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control Number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,132,566

DATED : November 7, 2006

INVENTOR(S) : Sumner et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, Line 64, Claim 6 "catalyst that" should read —catalyst system that—;

Column 10, Line 58, Claim 14 "wherein the cobalt" should read —wherein cobalt—;

Column 10, Line 61, Claim 14 "and bromine" should read —and the bromine—.

MAILING ADDRESS OF SENDER:

Steven A. Owen
Eastman Chemical Company
P.O. Box 511
Kingsport, TN 37662

PATENT NO. 7,132,566

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Department of Commerce, P.O. Box 1450, Alexandria, VA, 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

NOV 22 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control Number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,132,566

DATED : November 7, 2006

INVENTOR(S) : Sumner et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, Line 64, Claim 6 "catalyst that" should read —catalyst system that—;

Column 10, Line 58, Claim 14 "wherein the cobalt" should read —wherein cobalt—;

Column 10, Line 61, Claim 14 "and bromine" should read —and the bromine—.

MAILING ADDRESS OF SENDER:

Steven A. Owen
Eastman Chemical Company
P.O. Box 511
Kingsport, TN 37662

PATENT NO. 7,132,566

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Department of Commerce, P.O. Box 1450, Alexandria, VA, 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

NOV 22 2006